UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/812,315	03/30/2004	Mechthild Rieping	7909/81000	1764
	7590 06/10/200 OF MICHAEL A. SAI		EXAM	IINER
15400 CALHOUN DRIVE			KIM, ALEXANDER D	
SUITE 125 ROCKVILLE, I				PAPER NUMBER
,			1656	
			MAIL DATE	DELIVERY MODE
			06/10/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/812,315	RIEPING, MECHTHILD
Office Action Summary	Examiner	Art Unit
	ALEXANDER D. KIM	1656
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on <u>26 Fe</u> This action is FINAL . 2b) ☑ This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro	
Disposition of Claims		
4) Claim(s) 13-26 is/are pending in the application 4a) Of the above claim(s) is/are withdray 5) Claim(s) is/are allowed. 6) Claim(s) 13-26 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or Application Papers 9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acceed applicant may not request that any objection to the or	vn from consideration. relection requirement. r. epted or b) □ objected to by the B	
Replacement drawing sheet(s) including the correcti		
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.
Priority under 35 U.S.C. § 119		
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of 	s have been received. s have been received in Applicati ity documents have been receive ı (PCT Rule 17.2(a)).	on No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 03/04/2009.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	nte

Art Unit: 1656

DETAILED ACTION

Application Status

1. In response to the previous Office action, a non-Final rejection (mailed on 10/31/2008), Applicants filed a response and amendment received on 02/26/2009. Said amendment cancelled Claims 1-12; amended Claims 13, 15-16, 21-23.

Claims 13-26 are pending in the instant Office action and will be examined herein.

It is noted that the instant office action is a non-final Office action in view of at least one new grounds of rejection.

Information Disclosure Statement

2. The information disclosure statement (IDS) filed on 03/04/2009 has been reviewed, and its reference has been considered. A copy of Form PTO/SB/08 is attached to the instant Office action.

Claim Objections

3. Claims 13-26 are objected to because of the following informalities:

The use of abbreviation "galP" in Claim 13 (Claims 14-22 dependent therefrom); abbreviation "PTS" in Claim 23 (Claims 24-26 dependent therefrom). Abbreviations, unless otherwise obvious and/or commonly used in the art, e.g., "DNA", should not be recited in the claims without at least once reciting the entire phrase for which the

Art Unit: 1656

abbreviation is used in its first appearance in the claims. Appropriate correction is required.

Withdrawn-Claim Rejections - 35 USC § 112

- 4. The previous rejection of Claims 13 (Claims 14-22 dependent therefrom) and 23 (Claims 24-26 dependent therefrom) under of 35 U.S.C. 112, second paragraph, for Claims 13 (Claims 14-22 dependent therefrom) and Claim 23 (Claims 24-26 dependent therefrom) reciting limitations "fermenting a bacterium comprising an overexpressed endogenous DNA sequence encoding the galactose-proton symporter protein in said bacterium", "said bacterium is an Enterobacteriaceae family" and "said galactose-proton symporter protein comprises the amino acid sequence of SEQ ID NO: 4 and is encoded by the nucleotide sequence of SEQ ID NO: 3"; whereas the Enterobacteriaceae bacterium has to be E. coli because the nucleotide SEQ ID NO: 3 and the polypeptide of SEQ ID NO: 4 is the E. coli nucleotide or polypeptide (see instant specification page 10, lines 9-11); and as being unclear as to how any Enterobacteriaceae family other than E. coli can comprise an overexpressed endogenous DNA of SEQ ID NO: 3, or a DNA encoding SEQ ID NO: 4; is withdrawn by virtue of deleting the term "endogenous".
- 5. The previous rejection of Claims 21 and 22 under of 35 U.S.C. 112, second paragraph, for reciting the limitation "the thrABC operon" or "the thrap the thrap thrap the thrap thrap to the thrap thrap the thrap t

operon or gene; is withdrawn by virtue of applicant's amendment (i.e., amended to recite, *e.g.*, "a thrABC operon" and "a tdh gene").

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

5. Claim 21 is rejected under of 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 21 recites "using a strong promoter, and mutating the ribosome binding site". With respect to the limitation of "a strong promoter", the scope of those promoters that are considered to be "strong" is indefinite because the term "strong" is a relative term and neither the specification nor the claims provide a reference for determining whether or not the recited promoter is considered to be "strong". Moreover, it is unclear as to whether or not the limitation encompasses the naturally-occurring promoter, which, without a reference promoter as noted above, may be considered to be encompassed by the term "strong promoter".

Also, the limitation "the ribosome binding site" lacks antecedent basis in the claim because a ribosome binding site is not recited previously. The term "the" refers to a one particular ribosome binding site; and it is unclear what kind of change (or mutation) in any particular ribosome binding site would result in overexpression of the gene(s) recited in Claim 21.

Furthermore, it is noted that the claim requires overexpression of "one or more genes", where "using a strong promoter" and/or "mutating the ribosome binding site" may result in protein overexpression, but would not result in overexpression of one or more genes.

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

6. Claim 21 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contain subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. This is a written description rejection.

According to MPEP 2163.II.A.1, in evaluating a claimed invention for adequate written description, the examiner should determine what the claim as a whole covers. "Claim construction is an essential part of the examination process. Each claim must be separately analyzed and given its broadest reasonable interpretation in light of and consistent with the written description. See, e.g., *In re Morris*, 127 F.3d 1048, 1053-54, 44 USPQ2d 1023, 1027 (Fed. Cir. 1997)."

CLAIM INTERPRETATION: Claim 21 limits the genus of microorganisms of the method of claim 13 to further overexpressing one or more of the genes as recited in the claim by (in relevant part) mutating the ribosome binding site, wherein the ribosome

binding site has been interpreted as a site on an mRNA expressed from the corresponding gene to which a ribosome binds.

MPEP 2163.II.A.2.(a).i) states, "Whether the specification shows that applicant was in possession of the claimed invention is not a single, simple determination, but rather is a factual determination reached by considering a number of factors. Factors to be considered in determining whether there is sufficient evidence of possession include the level of skill and knowledge in the art, partial structure, physical and/or chemical properties, functional characteristics alone or coupled with a known or disclosed correlation between structure and function, and the method of making the claimed invention".

The specification fails to disclose the reduction to practice of even a single representative species of the genus of microorganisms with a mutated ribosome binding site that results in overexpression of one or more of the genes as recited in the claims. There are no other drawings or structural formulas disclosed of a microorganism with a mutated ribosome binding site that results in overexpression of one or more of the genes as recited in the claims. The prior art does not teach any mutated ribosome binding site for recited genes. Thus, the specification and prior art do not teach any correlation between structure of any ribosome and function of being able to overexpress recited protein encoded by the gene. There is no evidence of record that the ribosome binding site(s) for expressed mRNAs corresponding to the recited genes were known in the art at the time of the invention. Moreover, there is no teaching or guidance in the specification or the prior art as to which nucleotide(s) of the mRNA corresponding to the

Art Unit: 1656

recited genes could be modified and result in overexpression of the gene. As such, the specification fails to satisfy the written description requirement of 35 U.S.C. 112, first paragraph. Because the Claim 21 encompasses very wide structural limitation of any mutation in any ribosome binding site for recited genes with no functional relationship to its structural changes in the genus of claim which would results in overexpression of said gene(s), the one skilled in the art would not be in possession of full scope of the claimed genus of the instant specification.

Withdrawn-Claim Rejections - 35 USC § 112

- 7. The previous rejection of Claim 23 (Claims 24-26 dependent therefrom) under 35 U.S.C. 112, first paragraph, **new matter**, for reciting "transports glucose by a PEP-dependent phosphotransferase (PTS) pathway", which is not supported by the original disclosure, is withdrawn by virtue of applicant's amendment.
- 8. The previous rejection of Claims 21-22 under 35 U.S.C. § 112, first paragraph, written description, wherein the breadth of Claim 21 includes a method comprising using an Enterobacteriaceae family having increased catalytic activity of enzymes from the thrABC operon according to the disclosure of the term "overexpression" on p. 7, line 1-5, is withdrawn by virtue of applicant's amendment (i.e., adding the limitation "increasing copy number" in claim 21; and adding "deleted" in Claim 22.
- 9. The previous rejection of Claims 21-22 under 35 U.S.C. § 112, first paragraph,

Art Unit: 1656

scope of enablement, because the specification, is withdrawn by virtue of applicant's amendment (i.e., adding the limitation "increasing copy number" in claim 21; and adding "deleted" in Claim 22.

Withdrawn-Claim Rejections - 35 USC § 102

- 10. The previous rejection of Claim 13-16, 18-20 under 35 U.S.C. 102(b) as being anticipated by Valle et al. (USPAP 2002/0155521 published on Oct. 24, 2002, as cited in the previous Office Action) as evidenced by Blattner et al. (1997, Science 277:1453-1474, as cited in the IDS), is withdrawn by virtue of applicant's amendment (i.e., deleting the term "operably linking said DNA to a promoter" and adding "changing a promoter normally found in a galP gene" wherein the reference of Valle et al. did not change a promoter of the galP gene).
- 11. The previous rejection of Claims 13-14 and 17-20 under 35 U.S.C. 102(a) as being anticipated by Hernandez-Montalvo et al. (2003 Sep. 20, Biotechnol Bioeng, Vol. 83, page 687-694, as cited previously on 12/13/2006) as evidenced by Blattner et al. (1997, Science 277:1453-1474, as cited in the IDS) and Lee et al. (2003, September, Journal of Bacteriology, vol. 185, p. 5442-5451, as cited previously on 12/13/2006), is withdrawn by virtue of applicant's amendment (i.e., reciting the correct coding sequence of SEQ ID NO: 4 which is residues 33-1427 of SEQ ID NO: 4; thus, it is fully supported by the instant foreign priority making the instant priority date to 4/1/2003).

Art Unit: 1656

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 12. Claims 13-20 and 23-24 are rejected under 35 U.S.C. 102(b) as being anticipated by **Martin et al.** (Biochem. J., 1995, Vol. 308, pages 261-268) as evidenced by **Roberts** et al. (Journal of Cellular Biochemistry, **1990**, Vol. 44, Issue S14E, on pages 1-30), "Biosynthesis of amino acids" (prepared by Bryant Miles, April 21, 2003), QIAGEN-Plasmid Resource Center (QIAGEN product description of Growth of bacterial cultures, printed 5/12/2009), and Berry et al. (TIBTECH, 1996, Vol. 14, pages 250-256).

Martin et al. teach cloning and overexpression of the galactose-H+ transport protein, GalP, of Escherichia coli; wherein the E. coli galP gene has 100 % identity to 33-1427 of SEQ ID NO: 3, and the encoded GalP protein has 100% identity to SEQ ID NO: 4 as evidenced by the sequence alignments below. Martin et al. teach growing the GalP protein producing E. coli JM1100 containing plasmid pPER3 containing galP overexpressing the GalP protein (see "Growth of the GalP-producing E. coli strain" on page 262, top of left column). Martin et al. teach the "yield of GalP in typical preparation was 40-60% of the inner membrane proteins" (see the end of "Quantification of overexpressed protein" on page 262, left column). Thus, the method step of Martin et al. meets the limitations of fermenting an Enterobacteriaceae family overexpressed DNA sequence encoding the galactose-protein symporter protein (i.e., SEQ ID NO: 4

Art Unit: 1656

encoded by the nucleic acid of 33-1472 of SEQ ID NO: 3 which is the E. coli galP gene) wherein the overexpression is achieved by changing a promoter normally found in a galP gene. The E. coli of Martin et al. overexpressing GalP protein inherently produces amino acids (e.g., L-threonine, L-isoleucine, L-valine, L-methionine, L-homoserine and L-lysine) from a glucose, when the cell were grown in a media, as evidenced by (and it is well known in the art) the reference of "Biosynthesis of amino acids", which summarizes the biosynthesis of amino acids and teaches "bacteria can synthesize all 20 of the amino acids" (see bottom of page 1) and "the carbon skeletons comes from intermediates of glycolysis, the pentose phosphate pathway and the citric acid cycle" (see middle of page 2) wherein said glycolysis starts with a glucose molecule. Thus, the amino acid produced in the E. coli of Martin et al. is produced from glucose and the method of growing E. coli JM1100 overexpressing GalP protein meets all limitations of Claims 13-16 and 18, wherein an L-amino acid becomes enriched in a fermentation medium as the total contents of the E. coli (which contains all 20 L-amino acids) increases. Martin et al. teach isolation of the overexpressed GalP protein by French press and centrifugation (see middle of left column, page 262); thus, meeting the limitation of Claims 19-20.

The pPER3 vector is derived from pBR322 as evidenced by the reference of Roberts et al. (Abstract N109 at p. 20, top); wherein the pBR322 has a copy number of 15-20 as evidenced by the reference of Qiagen; thus, the method of Martin et al. meets the step of increasing copy number of said DNA in **Claim 17**.

Art Unit: 1656

The instant claim 23 has additional limitation of said Enterobacteriaceae bacterium comprises PTS enzymes. The instant PTS enzymes in a method of Claim 23 read on any PTS enzymes which exist in E. coli as evidenced by Berry et al. who disclose "The PTS is the major consumer of PEP in E. coli growing on glucose" (see Berry et al., lines 31-32, right column, page 254). Thus, in addition to the reasons above, the E. coli of Martin et al. has many PTS enzymes inherently and meets the limitation of method steps of Claim 23-24.

Withdrawn-Claim Rejections - 35 USC § 103

- 13. The previous rejection of Claim 21 under 35 U.S.C. 103(a) as being unpatentable over Valle et al. (USPAP 2002/0155521 published on Oct. 24, 2002, as cited in the previous Office Action) in view of Debabov et al. (USP 6,132,999 published on Oct. 17, 2000, as cited in the previous Office Action) is withdrawn by virtue of applicant's amendment overcoming the 35 USC 102 rejection as shown above.
- 14. The previous rejection of Claim 22 under 35 U.S.C. 103(a) as being unpatentable over Valle et al. (USPAP 2002/0155521 published on Oct. 24, 2002) in view of Debabov et al. (USP 5,705371 published on Jan. 6, 1998), is withdrawn by virtue of applicant's amendment overcoming the 35 USC 102 rejection as shown above.

Art Unit: 1656

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

15. Claims 13-20 and 23-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Debabov et al. (US Patent 5,175,107 issued on Dec. 29, 1992) in view of Venter et al. (Biochem. J., 2002, Vol. 363, pages 243-252), Flores et al. (Metabolic Engineering, 2002, Vol. 4, pages 124-137) and Berry et al. (TIBTECH, 1996, Vol. 14, pages 250-256) and as evidenced by Martin et al. (Biochem. J., 1995, Vol. 308, pages 261-268), and "Biosynthesis of amino acids" (prepared by Bryant Miles, April 21, 2003).

Debabov et al. (1992) teach teaches a method of making L-threonine using the E. coli BKIM B-3996 (see Example 1 and 2 in §4-5) containing a recombinant plasmid pVIC40 (see Abstract). Debabov et al. (1992) teach a method step of growing said E. coli in a medium having 4% by mass (see bottom of §4) and teach a method of determining the concentration of the L-threonine as Debabov et al. disclose the fermentation resulted in a total of 85g/I L-threonine. Debabov et al. also teach many carbon sources for a fermentation which "Exhibits good growth on saccharose, glucose, fructose, lactose, mannose, galactose, xylose, glycerol, mannitol" (see §3, lines 52-54).

The difference between Debabov et al. (1992) and the claimed invention is that the E. coli BKIM B-3996 of Debabov (1992) does not overexpress the E. coli galP gene (i.e., residues 33-1427 of SEQ ID NO: 3 encoding the SEQ ID NO: 4 protein).

Venter et al. teach the cloning and expression of E. coli GalP (SEQ ID NO: 4) encoded by the galP gene which were known to be the residues 33-1427 of SEQ ID NO: 3 as shown in the second (as early as 1980 by Smith et al.) and third (Blattner et al. 1997) sequence alignments at the end of the instant office action.

Flores et al. teach "that GalP can transport, in addition to galactose, other sugars such as glucose", see left column, lines 14-15, page 125, and further teaches that a functional galP gene on the chromosome is required for rapid growth on glucose and teach that it can direct more carbon flux into intermediates or final products of the aromatic pathway, compared to isogenic PTS⁺ strains (see left column, lines 18-20, page 125). Flores acknowledges the concept of metabolic engineering of *E. coli* for the improvement of industrial strains, including metabolic engineering studies on the main central metabolic sections that are active during growth on glucose as the sole carbon source, including overexpression of a gene encoding a protein involved in metabolic flux (see bottom of left column to right column on p. 124).

Berry et al. teach that influx of Glucose feeds into the glycolysis and the TCA cycles in Figure 4 on page 254 which produces intermediate compounds that are used as precursors of all amino acid biosynthesis; which is well known in the art and summarized by the disclosure of the evidentiary reference of "Biosynthesis of amino acids", which discloses that "bacteria can synthesize all 20 of the amino acids" (see

Art Unit: 1656

bottom of page 1) and "the carbon skeletons comes from intermediates of glycolysis, the pentose phosphate pathway and the citric acid cycle" (see middle of page 2) wherein said precursor of amino acid biosynthesis starts with a glucose molecule.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to practice the method of Debabov et al. (1992) using the E. coli of Debabov et al. overexpressing the galP gene of Venter et al. where overexpression is achieved by transforming the E. coli with a vector encoding galP with a reasonable expectation of success because the GaIP gene increases the carbon flux into the cell by transporting various sugar including glucose and it can be very effective transporting the sugar molecules specially when it can be expressed as high as 40 to 60 % of total membrane as shown by Martin et al. (see the end of "Quantification of overexpressed protein" on page 262, left column); wherein the increase in carbon source of sugar molecules increases the precursor for the biosynthesis of amino acids (L-threonine, for example). Debabov et al. (1992) teach the usefulness of L-threonine which is "known to be an essential amino acid applicable as the component of diverse nutritive mixture of medical use", "an additive to animals' fodder, as well as reagent for the pharmaceutical and chemical industries and as a growth factor for microorganisms producing some other amino acids, such as L-lysine and L-homoserine" (see §1, lines 12-18). Also, Flores et al. teach the PTS system (i.e., PEP:carbohydrate phoshotransferase system) is the major PEP-utilizing system wherein the PEP is major precursor of biosynthesis of amino acids (as supported by the glycolysis and the TCA cycles in Figure 4 on page 254 of Berry et al.) and "the usage of a different system to

Page 15

Art Unit: 1656

internalize and phosphorylate glucose, would lead to an increase in the amount of PEP" so that PEP would be used in the biosynthesis of many compounds as well as increase in feeding carbon source into a TCA cycle which in turn increase in amino acid biosynthesis such as L-threonine. Thus, one skilled in the art would recognize the GalP transport system as one of said different system as indicated by Flores et al. to internalize glucose besides the PTS system. One skilled in the art would be motivation to overexpress the E. coli GalP protein in a L-threonine producing E. coli (BKIM B-3996, for example) for increase glucose influx in addition to the central glucose influx PEP:carbohydrate phoshotransferase system (PTS) which would increases overall carbon source required for amino acids production which is advantageous in an industry for increasing a cost efficiency which is useful in the amino acid producing industry. Thus, the claimed invention as a whole was *prima facie* obvious over the combined teachings of the prior art.

16. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Debabov et al. (1992) in view of Venter et al., Flores et al., and Berry et al. and as evidenced by Martin et al., and "Biosynthesis of amino acids" as applied to claims 13-20 and 23-26 above, and further in view of Debabov et al. (USP 6,132,999 published on Oct. 17, 2000, as cited in the previous non-final office action mailed on 10/31/2008).

The teachings of Debabov et al. (1992), Venter et al., Flores et al., and Berry et al. are set forth above. The combination of Debabov et al. (1992), Venter et al., Flores et al., and Berry et al. does not teach or suggest additionally overexpressing a gene as recited in claim 21.

Art Unit: 1656

Debabov et al. (2000) teach a process of improved amino acid production by transforming an E. coli with an expression vector comprising a threonine operon (thrABC), which overexpresses the thrABC gene product. Debabov et al. (2000) teach a process of making L-threonine by using E. coli BKIIM B-5318 in Example 1. The E. coli BKIIM B-5318 has "plasmid pPRT614, which has threonine biosynthesis genes (thrA, B, and C)" as disclosed in the Abstract.

At the time of the invention, it would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to practice the method of Debabov et al. (1992) using the E. coli of Debabov et al. (1992) overexpressing the galP gene of Venter et al and further overexpressing the thrABC operon of Debabov et al. (2000), where overexpression is achieved by transforming the E. coli with a vector encoding galP and thrABC of Debabov et al. (2000) with a reasonable expectation of success because molecular biology techniques for cloning and expressing multiple genes using a plasmid vector are well known in the art, and in view of teachings of thrABC operon by Debabov et al. (1992) and the teaching of E. coli galP gene and its function by Venter et al. (2002), Flores et al. (2002), Berry et al. (1996). The motivation to do so is provided by Debabov et al. (2000) et al. who teaches the usefulness of cost-effective and efficient biosynthetic production of compounds including the L-Thr and that overexpession of thrABC operon results in enhanced L-Thr production as taught by Debabov et al. (2000). Thus, the claimed invention as a whole was prima facie obvious over the combined teachings of the prior art.

Application/Control Number: 10/812,315

Art Unit: 1656

17. Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Debabov et al. (1992) in view of Venter et al., Flores et al., and Berry et al. and as evidenced by Martin et al., and "Biosynthesis of amino acids" as applied to claims 13-20 and 23-26 above, and further in view of Debabov et al. (USP 5,705,371 published on Jan. 6, 1998, as cited in the previous non-final office action mailed on 10/31/2008).

Page 17

The teachings of Debabov et al. (1992), Venter et al., Flores et al., and Berry et al. are set forth above. The combination of Debabov et al. (1992), Venter et al., Flores et al., and Berry et al. does not teach or suggest deletion of a gene as recited in claim 22.

Debabov et al. (1998) teach a process of making L-threonine by attenuation of the tdh gene encoding a threonine dehydrogenase "engaged in degradation of L-threonine" (see column 2, lines 58-59). Debabov et al. (1998) teach "E. coli strain VNIIgenetika 472T23" having "insertion of transposon Tn5 into gene tdh " is "devoid completely of activity" of a threonine dehydrogenase (see column 2, line 53-59).

At the time of the invention, it would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to practice the method of Debabov et al. (1992) using the *E. coli* of Debabov et al. (1992) overexpressing the galP gene of Venter et al with a deletion of a tdh gene as taught by Debabov et al. (1998), where overexpression is achieved by transforming the *E. coli* with a vector encoding galP with a reasonable expectation of success because molecular biology techniques for cloning and expressing multiple genes using a plasmid vector as well as the deletion of known gene sequences are well known in the art in view of teachings of deletion of tdh gene by

inserting transposon by Debabov et al. (1998) and the teaching of E. coli galP gene and its function by Venter et al. (2002), Flores et al. (2002), Berry et al. (1996). The motivation to do so is provided by Debabov et al. (1998) who teach increasing the production of L-Thr production could be enhanced by deleting tdh gene encoding a polypeptide that degrades L-Thr. One skilled in the art would be motivation to delete the tdh gene for usefulness, cost-effective and efficient biosynthetic production of compounds including the L-Thr by deleting the tdh gene as taught by Debabov et al. (1998). Thus, the claimed invention as a whole was *prima facie* obvious over the combined teachings of the prior art.

Conclusion

18. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alexander D. Kim whose telephone number is (571) 272-5266. The examiner can normally be reached on 10AM-6:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew Wang can be reached on (571) 272-0811. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

Art Unit: 1656

you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Alexander D Kim/ Examiner, Art Unit 1656

Art Unit: 1656

Sequence Alignments

```
10/812315
RESULT 2
GALP_ECOLI
ΙD
    GALP ECOLI
                  STANDARD; PRT; 464 AA.
     POAEP1; P37021;
     20-DEC-2005, integrated into UniProtKB/Swiss-Prot.
     20-DEC-2005, sequence version 1.
DT
DT
   07-MAR-2006, entry version 5.
DE
    Galactose-proton symporter (Galactose transporter).
GN
    Name=galP; OrderedLocusNames=b2943;
OS
    Escherichia coli.
    Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;
OC
OC
     Enterobacteriaceae; Escherichia.
    NCBI TaxID=562;
OX
RN
    [1]
    NUCLEOTIDE SEQUENCE [GENOMIC DNA], AND CHARACTERIZATION.
RP
RA
     Roberts P.E.;
RT.
     Thesis (1992), University of Cambridge, United Kingdom.
RN
RΡ
     NUCLEOTIDE SEQUENCE [LARGE SCALE GENOMIC DNA].
     STRAIN=K12 / MG1655;
RC
     MEDLINE=97426617; PubMed=9278503; DOI=10.1126/science.277.5331.1453;
RX
     Blattner F.R., Plunkett G. III, Bloch C.A., Perna N.T., Burland V.,
RA
     Riley M., Collado-Vides J., Glasner J.D., Rode C.K., Mayhew G.F.,
RΑ
RA
     Gregor J., Davis N.W., Kirkpatrick H.A., Goeden M.A., Rose D.J.,
     Mau B., Shao Y.;
RT
    "The complete genome sequence of Escherichia coli K-12.";
RL
     Science 277:1453-1474(1997).
RN
    [3]
RP
    SUBCELLULAR LOCATION.
    STRAIN=K12 / MG1655;
RC
RX
     PubMed=15919996; DOI=10.1126/science.1109730;
     Daley D.O., Rapp M., Granseth E., Melen K., Drew D., von Heijne G.;
RT
     "Global topology analysis of the Escherichia coli inner membrane
RT
     proteome.";
     Science 308:1321-1323(2005).
RL
CC
     -!- FUNCTION: Uptake of galactose across the boundary membrane with
CC
         the concomitant transport of protons into the cell (symport
CC
        system).
CC
    -!- SUBCELLULAR LOCATION: Bacterial cell inner membrane; multi-pass
       membrane protein.
CC
    -!- SIMILARITY: Belongs to the major facilitator superfamily. Sugar
CC
     transporter family.
CC
     Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC
CC
     Distributed under the Creative Commons Attribution-NoDerivs License
CC
     EMBL; U28377; AAA69110.1; -; Genomic_DNA.
     EMBL; U00096; AAC75980.1; -; Genomic DNA.
     PIR; F65079; F65079.
DR
DR
     GenomeReviews; U00096 GR; b2943.
     EchoBASE; EB2068; -.
DR
DR
     EcoGene; EG12148; galP.
     BioCyc; EcoCyc:GALP-MONOMER; -.
DR
    LinkHub; P37021; -.
    PROSITE; PS50850; MFS; 1.
DR
DR PROSITE; PS00216; SUGAR_TRANSPORT_1; 1.
DR
    PROSITE; PS00217; SUGAR_TRANSPORT_2; 1.
    Complete proteome; Inner membrane; Membrane; Sugar transport; Symport;
```

Transmembrane; Transport.

Art Unit: 1656

KW

```
FT
               1
                             Galactose-proton symporter.
                             /FTId=PRO 0000050292.
FT
FT
    TOPO DOM
                1
                     15
                             Cytoplasmic (Potential).
    TRANSMEM
               16
                     36
FT
                             1 (Potential).
               37
                     56
FT
    TOPO DOM
                             Periplasmic (Potential).
    TRANSMEM
               57
                     77
FT
                             2 (Potential).
    TOPO DOM
               78
                     84
FT
                             Cytoplasmic (Potential).
FT
    TRANSMEM
               85
                    105
                             3 (Potential).
    TOPO DOM
              106
FT
                    112
                             Periplasmic (Potential).
FT
    TRANSMEM
              113
                    133
                             4 (Potential).
FT
    TOPO DOM
              134
                    139
                             Cytoplasmic (Potential).
FT
    TRANSMEM
              140
                    160
                             5 (Potential).
FT
    TOPO DOM
                    171
              161
                             Periplasmic (Potential).
    TRANSMEM
                             6 (Potential).
FT
              172
                    192
FT
    TOPO DOM
              193
                    250
                             Cytoplasmic (Potential).
    TRANSMEM
              251
                    271
FT
                             7 (Potential).
    TOPO DOM
              272
                    290
                             Periplasmic (Potential).
FT
FT
    TRANSMEM
              291
                    311
                             8 (Potential).
FT
    TOPO DOM
              312
                    321
                             Cytoplasmic (Potential).
    TRANSMEM
              322
                    342
                             9 (Potential).
FT
                             Periplasmic (Potential).
FT
    TOPO DOM
              343
                    351
FT
    TRANSMEM
              352
                    372
                             10 (Potential).
              373
FT
    TOPO DOM
                    394
                             Cytoplasmic (Potential).
    TRANSMEM
              395
                    415
                             11 (Potential).
FT
    TOPO DOM
              416
                    416
                             Periplasmic (Potential).
FT
FT
    TRANSMEM
              417
                    437
                             12 (Potential).
              438
FT
    TOPO DOM
                    464
                             Cytoplasmic (Potential).
    SEQUENCE
             464 AA; 50983 MW; 07E08935BD8E3F8E CRC64;
SO
 Ouerv Match
                      100.0%; Score 2359; DB 1; Length 464;
 Best Local Similarity 100.0%; Pred. No. 5.1e-149;
 Matches 464; Conservative
                            0; Mismatches
                                           0; Indels
                                                                  0;
          1 MPDAKKQGRSNKAMTFFVCFLAALAGLLFGLDIGVIAGALPFIADEFQITSHTQEWVVSS 60
QУ
            1 MPDAKKOGRSNKAMTFFVCFLAALAGLLFGLDIGVIAGALPFIADEFOITSHTOEWVVSS 60
Db
         61 MMFGAAVGAVGSGWLSFKLGRKKSLMIGAILFVAGSLFSAAAPNVEVLILSRVLLGLAVG 120
QУ
            Db
         61 MMFGAAVGAVGSGWLSFKLGRKKSLMIGAILFVAGSLFSAAAPNVEVLILSRVLLGLAVG 120
        121 VASYTAPLYLSEIAPEKIRGSMISMYQLMITIGILGAYLSDTAFSYTGAWRWMLGVIIIP 180
QУ
            Db
        121 VASYTAPLYLSEIAPEKIRGSMISMYQLMITIGILGAYLSDTAFSYTGAWRWMLGVIIIP 180
        181 AILLLIGVFFLPDSPRWFAAKRRFVDAERVLLRLRDTSAEAKRELDEIRESLQVKQSGWA 240
QУ
            181 AILLLIGVFFLPDSPRWFAAKRRFVDAERVLLRLRDTSAEAKRELDEIRESLQVKQSGWA 240
Db
        241 LFKENSNFRRAVFLGVLLQVMQQFTGMNVIMYYAPKIFELAGYTNTTEQMWGTVIVGLTN 300
QУ
            Db
        241 LFKENSNFRRAVFLGVLLQVMQQFTGMNVIMYYAPKIFELAGYTNTTEQMWGTVIVGLTN 300
        301 VLATFIAIGLVDRWGRKPTLTLGFLVMAAGMGVLGTMMHIGIHSPSAQYFAIAMLLMFIV 360
QУ
            Db
        301 VLATFIAIGLVDRWGRKPTLTLGFLVMAAGMGVLGTMMHIGIHSPSAQYFAIAMLLMFIV 360
        361 GFAMSAGPLIWVLCSEIQPLKGRDFGITCSTATNWIANMIVGATFLTMLNTLGNANTFWV 420
QУ
```

```
Db
         361 GFAMSAGPLIWVLCSEIQPLKGRDFGITCSTATNWIANMIVGATFLTMLNTLGNANTFWV 420
          421 YAALNVLFILLTLWLVPETKHVSLEHIERNLMKGRKLREIGAHD 464
QУ
              Db
         421 YAALNVLFILLTLWLVPETKHVSLEHIERNLMKGRKLREIGAHD 464
RESULT 4
Q2M9Q0 ECOLI
    Q2M9Q0 ECOLI
ΙD
                  PRELIMINARY; PRT;
                                         464 AA.
AC
    Q2M9Q0;
DТ
    21-FEB-2006, integrated into UniProtKB/TrEMBL.
    21\text{-FEB-}2006, sequence version 1.
DT
DT
    07-MAR-2006, entry version 2.
    D-galactose transporter.
DE
GN
    Name=galP;
OS
    Escherichia coli W3110.
OC
    Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;
    Enterobacteriaceae; Escherichia.
OC
    NCBI TaxID=316407;
OX
RN
    Γ11
RP NUCLEOTIDE SEQUENCE.
RC
    STRAIN=K-12;
RX MEDLINE=81053692; PubMed=6159575;
RA
    Smith D.R., Calvo J.M.;
RT
    "Nucleotide sequence of the E coli gene coding for dihydrofolate
RT
    reductase.";
RL
    Nucleic Acids Res. 8:2255-2274(1980).
RN
    [2]
RP NUCLEOTIDE SEQUENCE.
RC STRAIN=K-12;
    Sekiguchi T., Ortega-Cesena J., Nosoh Y., Ohashi S., Tsuda K.,
RA
RA
RT
    "DNA and amino-acid sequences of 3-isopropylmalate dehydrogenase of
RT
    Bacillus coagulans. Comparison with the enzymes of Saccharomyces
RT
    cerevisiae and Thermus thermophilus.";
RL
    Biochim. Biophys. Acta 867:36-44(1986).
RN
    [3]
    NUCLEOTIDE SEQUENCE.
RP
RC
    STRAIN=K-12;
    Chen H., Sun Y., Stark T., Beattie W., Moses R.E.;
    "Nucleotide sequence and deletion analysis of the polB gene of
RT
RT
    Escherichia coli.";
RL
    DNA Cell Biol. 9:613-635(1990).
RN
    [4]
    NUCLEOTIDE SEQUENCE.
RP
RC
    STRAIN=K-12;
RA
    Smallshaw J.E., Kelln R.A.;
    "Cloning, nucleotide sequence and expression of the Escherichia coli
RT
RТ
    K-12 pyrH gene encoding UMP kinase.";
RL
    Genetics (Life Sci. Adv.) 11:59-65(1992).
RN
    [51
    NUCLEOTIDE SEQUENCE.
RP
    STRAIN=K-12;
RC
RA
    Hayashi K., Morooka N., Yamamoto Y., Fujita K., Isono K., Choi S.,
RA
    Ohtsubo E., Baba T., Wanner B.L., Mori H., Horiuchi T.;
RT
    "Highly accurate genome sequences of Escherichia coli K-12 strains
RT
    MG1655 and W3110.";
RL Mol. Syst. Biol. 0:0-0(2006).
```

```
RN
     [6]
RP
     NUCLEOTIDE SEQUENCE.
RC
     STRAIN=K-12;
RX
     PubMed=16397293; DOI=10.1093/nar/gkj150;
     Riley M., Abe T., Arnaud M.B., Berlyn M.K., Blattner F.R.,
RA
     Chaudhuri R.R., Glasner J.D., Horiuchi T., Keseler I.M., Kosuge T.,
RA
     Mori H., Perna N.T., Plunkett G. III, Rudd K.E., Serres M.H.,
RA
RA
     Thomas G.H., Thomson N.R., Wishart D., Wanner B.L.;
RT
     "Escherichia coli K-12: a cooperatively developed annotation snapshot-
RT
     -2005.";
RL
     Nucleic Acids Res. 34:1-9(2006).
RN
     NUCLEOTIDE SEQUENCE.
RP
RC
     STRAIN=K-12;
RX
     MEDLINE=97349980; PubMed=9205837; DOI=10.1093/dnares/4.2.91;
RA
     Yamamoto Y., Aiba H., Baba T., Hayashi K., Inada T., Isono K.,
     Itoh T., Kimura S., Kitagawa M., Makino K., Miki T., Mitsuhashi N.,
     Mizobuchi K., Mori H., Nakade S., Nakamura Y., Nashimoto H.,
RA
     Oshima T., Oyama S., Saito N., Sampei G., Satoh Y., Sivasundaram S.,
RA
     Tagami H., Takahashi H., Takeda J., Takemoto K., Uehara K., Wada C.,
RA
     Yamagata S., Horiuchi T.;
RТ
     "Construction of a contiguous 874-kb sequence of the Escherichia coli
RT
     -K12 genome corresponding to 50.0-68.8 min on the linkage map and
RT
     analysis of its sequence features.";
RL
     DNA Res. 4:91-113(1997).
RN
     [8]
RP
     NUCLEOTIDE SEQUENCE.
RC
     STRAIN=K-12;
RX
     MEDLINE=97251358; PubMed=9097040; DOI=10.1093/dnares/3.6.379;
     Itoh T., Aiba H., Baba T., Fujita K., Hayashi K., Inada T., Isono K.,
RΑ
RA
     Kasai H., Kimura S., Kitakawa M., Kitagawa M., Makino K., Miki T.,
     Mizobuchi K., Mori H., Mori T., Motomura K., Nakade S., Nakamura Y.,
RA
     Nashimoto H., Nishio Y., Oshima T., Saito N., Sampei G., Seki Y.,
     Sivasundaram S., Tagami H., Takeda J., Takemoto K., Wada C.,
RA
RA
     Yamamoto Y., Horiuchi T.;
RТ
     "A 460-kb DNA sequence of the Escherichia coli K-12 genome
RT
     corresponding to the 40.1-50.0 min region on the linkage map.";
     DNA Res. 3:379-392(1996).
RL
RN
     [9]
RP
     NUCLEOTIDE SEQUENCE.
RC
     STRAIN=K-12;
     MEDLINE=97251357; PubMed=9097039; DOI=10.1093/dnares/3.6.363;
RX
RA
     Aiba H., Baba T., Fujita K., Hayashi K., Inada T., Isono K., Itoh T.,
     Kasai H., Kashimoto K., Kimura S., Kitakawa M., Kitagawa M.,
RA
     Makino K., Miki T., Mizobuchi K., Mori H., Mori T., Motomura K.,
     Nakade S., Nakamura Y., Nashimoto H., Nishio Y., Oshima T., Saito N.,
     Sampei G., Seki Y., Sivasundaram S., Tagami H., Takeda J.,
RA
RA
     Takemoto K., Takeuchi Y., Wada C., Yamamoto Y., Horiuchi T.;
     "A 570-kb DNA sequence of the Escherichia coli K-12 genome
RT
RТ
     corresponding to the 28.0-40.1 min region on the linkage map.";
RL
     DNA Res. 3:363-377(1996).
RN
     [10]
     NUCLEOTIDE SEQUENCE.
RP
RC
     STRAIN=K-12;
RX
     MEDLINE=97094878; PubMed=8940112; DOI=10.1074/jbc.271.49.31145;
RA
     Arn E.A., Abelson J.N.;
     "The 2'-5' RNA ligase of Escherichia coli. Purification, cloning, and
RТ
RT
     genomic disruption.";
RL
    J. Biol. Chem. 271:31145-31153(1996).
RN
     [11]
```

```
RP
     NUCLEOTIDE SEQUENCE.
     STRAIN=K-12;
    MEDLINE=97061202; PubMed=8905232; DOI=10.1093/dnares/3.3.137;
     Oshima T., Aiba H., Baba T., Fujita K., Hayashi K., Honjo A.,
    Ikemoto K., Inada T., Itoh T., Kajihara M., Kanai K., Kashimoto K.,
RA
RA
     Kimura S., Kitagawa M., Makino K., Masuda S., Miki T., Mizobuchi K.,
RA
     Mori H., Motomura K., Nakamura Y., Nashimoto H., Nishio Y., Saito N.,
RA
     Sampei G., Seki Y., Tagami H., Takemoto K., Wada C., Yamamoto Y.,
     Yano M., Horiuchi T.;
     "A 718-kb DNA sequence of the Escherichia coli K-12 genome
RT
     corresponding to the 12.7-28.0 min region on the linkage map.";
RL
     DNA Res. 3:137-155(1996).
RN
    [12]
    NUCLEOTIDE SEQUENCE.
RP
    STRAIN=K-12;
RC
RX MEDLINE=94261430; PubMed=8202364;
     Fujita N., Mori H., Yura T., Ishihama A.;
     "Systematic sequencing of the Escherichia coli genome: analysis of the
RT
     2.4-4.1 min (110,917-193,643 bp) region.";
    Nucleic Acids Res. 22:1637-1639(1994).
RL
RN
    [13]
RP
    NUCLEOTIDE SEQUENCE.
RC
     STRAIN=K-12;
RX
     MEDLINE=94240115; PubMed=8183897;
     Janosi L., Shimizu I., Kaji A.;
RT
     "Ribosome recycling factor (ribosome releasing factor) is essential
RT
     for bacterial growth.";
     Proc. Natl. Acad. Sci. U.S.A. 91:4249-4253(1994).
RL
RN
RP
    NUCLEOTIDE SEQUENCE.
RC
    STRAIN=K-12;
    MEDLINE=94124004; PubMed=7904973; DOI=10.1016/0378-1119(93)90470-N;
     Allikmets R., Gerrard B.C., Court D., Dean M.C.;
RT
     "Cloning and organization of the abc and mdl genes of Escherichia
RТ
     coli: relationship to eukaryotic multidrug resistance.";
    Gene 136:231-236(1993).
RT.
RN
    [15]
     NUCLEOTIDE SEQUENCE.
RP
     STRAIN=K-12;
RC
RX
     MEDLINE=94018640; PubMed=8412694;
     van Heeswijk W.C., Rabenberg M., Westerhoff H.V., Kahn D.D.;
     "The genes of the glutamine synthetase adenylylation cascade are not
RT
RT
     regulated by nitrogen in Escherichia coli.";
RL
    Mol. Microbiol. 9:443-458(1993).
RN
    [16]
    NUCLEOTIDE SEQUENCE.
RP
RC
     STRAIN=K-12;
RX
     MEDLINE=93259920; PubMed=8387990;
     Zhao S., Sandt C.H., Feulner G., Vlazny D.A., Gray J.A., Hill C.W.;
RA
RТ
     "Rhs elements of Escherichia coli K-12: complex composites of shared
     and unique components that have different evolutionary histories.";
RT
RL
     J. Bacteriol. 175:2799-2808(1993).
RN
     [17]
RP
     NUCLEOTIDE SEQUENCE.
RC
     STRAIN=K-12;
     MEDLINE=93123180; PubMed=8419307;
RX
RΑ
     Yamada M., Asaoka S., Saier M.H. Jr., Yamada Y.;
     "Characterization of the gcd gene from Escherichia coli K-12 W3110 and
RT
RT
    regulation of its expression.";
    J. Bacteriol. 175:568-571(1993).
```

```
RN
    T181
RP
    NUCLEOTIDE SEQUENCE.
    STRAIN=K-12;
RC
RX
    MEDLINE=93116053; PubMed=1474579;
RA
    Cormack R.S., Mackie G.A.;
    "Structural requirements for the processing of Escherichia coli 5\ S
RТ
RТ
    ribosomal RNA by RNase E in vitro.";
RL
    J. Mol. Biol. 228:1078-1090(1992).
    [19]
RP
    NUCLEOTIDE SEQUENCE.
RC
    STRAIN=K-12;
    MEDLINE=93094132; PubMed=1459951;
RX
RA
    Gervais F.G., Drapeau G.R.;
    "Identification, cloning, and characterization of rcsF, a new
RT
RТ
    regulator gene for exopolysaccharide synthesis that suppresses the
    division mutation ftsZ84 in Escherichia coli K-12.";
    J. Bacteriol. 174:8016-8022(1992).
RN
    [20]
    NUCLEOTIDE SEQUENCE.
RP
    STRAIN=K-12;
RC
    MEDLINE=93077430; PubMed=1447125;
RX
RΑ
    Yamanaka K., Ogura T., Niki H., Hiraga S.;
RT
    "Identification and characterization of the smbA gene, a suppressor of
    the mukB null mutant of Escherichia coli.";
RT
    J. Bacteriol. 174:7517-7526(1992).
RL
RN
    [21]
RP
    NUCLEOTIDE SEQUENCE.
RC
    STRAIN=K-12;
RX
    MEDLINE=93011013; PubMed=1396599;
    Condon C., Philips J., Fu Z.Y., Squires C., Squires C.L.;
Alignment Scores:
Pred. No.:
                    1.59e-168
                                 Length:
                                              464
Score:
                    2359.00
                                Matches:
                                              464
                    100.0%
                                Conservative: 0
Percent Similarity:
Best Local Similarity: 100.0%
                                Mismatches: 0
Query Match:
                    89.1%
                                 Indels:
                                              0
DB:
                                 Gaps:
US-10-812-315A-3 (1-1446) x Q2M9Q0 ECOLI (1-464)
         33 ATGCCTGACGCTAAAAAACAGGGGCGGTCAAACAAGGCAATGACGTTTTTCGTCTGCTTC 92
QУ
            1 \ \texttt{MetProAspAlaLysLysGlnGlyArgSerAsnLysAlaMetThrPhePheValCysPhe} \ \ 20 \ \ \\
Db
         93 CTTGCCGCTCTGGCGGGATTACTCTTTGGCCTGGATATCGGTGTAATTGCTGGCGCACTG 152
Qν
            Db
         21 LeuAlaAlaLeuAlaGlyLeuLeuPheGlyLeuAspIleGlyValIleAlaGlyAlaLeu 40
        153 CCGTTTATTGCAGATGAATTCCAGATTACTTCGCACACGCAAGAATGGGTCGTAAGCTCC 212
QУ
            Db
         41 ProPheIleAlaAspGluPheGlnIleThrSerHisThrGlnGluTrpValValSerSer 60
        QУ
            Db
         61 MetMetPheGlyAlaAlaValGlyAlaValGlySerGlyTrpLeuSerPheLysLeuGly 80
        273 CGCAAAAAGGCCTGATGATCGGCGCAATTTTGTTTGTTGCCGGTTCGCTGTTCTCTGCG 332
QУ
            Db
         81 ArgLysLysSerLeuMetIleGlyAlaIleLeuPheValAlaGlySerLeuPheSerAla 100
```

Page 26

Qу	333	GCTGCGCCAAACGTTGAAGTACTGATTCTTTCCCGCGTTCTACTGGGGCTGGCGTGGGT	392
Db	101	AlaAlaProAsnValGluValLeuIleLeuSerArgValLeuLeuGlyLeuAlaValGly	120
Qу	393	GTGGCCTCTTATACCGCACCGCTGTACCTCTCTGAAATTGCGCCGGAAAAAATTCGTGGC	452
Db	121	ValAlaSerTyrThrAlaProLeuTyrLeuSerGluIleAlaProGluLysIleArgGly	140
Qу	453	AGTATGATCTCGATGTATCAGTTGATGATCACTATCGGGATCCTCGGTGCTTATCTTTCT	512
Db	141		160
QУ	513	GATACCGCCTTCAGCTACACCGGTGCATGGCGCTGGATGCTGGGTGATTATCATCCCG	572
Db	161	AspThrAlaPheSerTyrThrGlyAlaTrpArgTrpMetLeuGlyValIleIleIlePro	180
QУ	573	GCAATTTTGCTGCTGATTGGTGTCTTCTTCCTGCCAGACAGCCCACGTTGGTTTGCCGCC	632
Db	181	AlaIleLeuLeuIleGlyValPhePheLeuProAspSerProArgTrpPheAlaAla	200
QУ	633	AAACGCCGTTTTGTTGATGCCGAACGCGTGCTGCTACGCCTGCGTGACACCAGCGCGGAA	692
Db	201	LysArgArgPheValAspAlaGluArgValLeuLeuArgLeuArgAspThrSerAlaGlu	220
Qу	693	GCGAAACGCGAACTGGATGAAATCCGTGAAAGTTTGCAGGTTAAACAGAGTGGCTGGGCG	752
Db	221	AlaLysArgGluLeuAspGluIleArgGluSerLeuGlnValLysGlnSerGlyTrpAla	240
Qу	753	CTGTTTAAAGAGAACAGCAACTTCCGCCGCGCGTGTTCCTTGGCGTACTGTTGCAGGTA	812
Db	241	LeuPheLysGluAsnSerAsnPheArgArgAlaValPheLeuGlyValLeuLeuGlnVal	260
QУ	813	ATGCAGCAATTCACCGGGATGAACGTCATCATGTATTACGCGCCGAAAATCTTCGAACTG	872
Db	261	MetGlnGlnPheThrGlyMetAsnValIleMetTyrTyrAlaProLysIlePheGluLeu	280
QУ	873	GCGGGTTATACCAACACTACCGAGCAAATGTGGGGGACCGTGATTGTCGGCCTGACCAAC	932
Db	281	AlaGlyTyrThrAsnThrThrGluGlnMetTrpGlyThrValIleValGlyLeuThrAsn	300
QУ	933	GTACTTGCCACCTTTATCGCAATCGGCCTTGTTGACCGCTGGGGACGTAAACCAACGCTA	992
Db	301	ValLeuAlaThrPheIleAlaIleGlyLeuValAspArgTrpGlyArgLysProThrLeu	320
QУ	993	ACGCTGGGCTTCCTGGTGATGGCTGCTGGCATGGGCGTACTCGGTACAATGATGCATATC	1052
Db	321	ThrLeuGlyPheLeuValMetAlaAlaGlyMetGlyValLeuGlyThrMetMetHisIle	340
Qу	1053	GGTATTCACTCTCCGTCGGCGCAGTATTTCGCCATCGCCATGCTGATGTTTATTGTC	1112
Db	341	GlyIleHisSerProSerAlaGlnTyrPheAlaIleAlaMetLeuLeuMetPheIleVal	360
QУ	1113	GGTTTTGCCATGAGTGCCGGTCCGCTGATTTGGGTACTGTGCTCCGAAATTCAGCCGCTG	1172
Db	361	GlyPheAlaMetSerAlaGlyProLeuIleTrpValLeuCysSerGluIleGlnProLeu	380
QУ	1173	AAAGGCCGCGATTTTGGCATCACCTGCTCCACTGCCACCAACTGGATTGCCAACATGATC	1232
Db	381	LysGlyArgAspPheGlyIleThrCysSerThrAlaThrAsnTrpIleAlaAsnMetIle	400

```
Qу
        1233 GTTGGCGCAACGTTCCTGACCATGCTCAACACGCTGGGTAACGCCAACACCTTCTGGGTG 1292
             Db
         401 ValGlyAlaThrPheLeuThrMetLeuAsnThrLeuGlyAsnAlaAsnThrPheTrpVal 420
QУ
        1293 TATGCGGCTCTGAACGTACTGTTTATCCTGCTGACATTGTGGCTGGTACCGGAAACCAAA 1352
             421 TyrAlaAlaLeuAsnValLeuPheIleLeuLeuThrLeuTrpLeuValProGluThrLys 440
Db
        1353 CACGTTTCGCTGGAACATATTGAACGTAATCTGATGAAAGGTCGTAAACTGCGCGAAATA 1412
Οv
             Db
         441 HisValSerLeuGluHisIleGluArgAsnLeuMetLysGlyArgLysLeuArgGluIle 460
        1413 GGCGCTCACGAT 1424
QУ
             Db
         461 GlyAlaHisAsp 464
   U00096. Reports Escherichia coli ...[gi:48994873] Links
{\tt CommentFeaturesLOCUS}
                          U00096
                                              4639675 bp
                                                           DNA
                                                                 circular BCT 08-SEP-
DEFINITION Escherichia coli K12 MG1655, complete genome.
           U00096 AE000111-AE000510
ACCESSION
VERSION
           U00096.2 GI:48994873
KEYWORDS
           Escherichia coli K12
SOURCE
 ORGANISM Escherichia coli K12
           Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;
           Enterobacteriaceae; Escherichia.
REFERENCE
           1 (bases 1 to 4639675)
 AUTHORS
           Blattner, F.R., Plunkett, G., Bloch, C.A., Perna, N.T., Burland, V.,
           Riley, M., Collado-Vides, J., Glasner, J.D., Rode, C.K., Mayhew, G.F.,
           Gregor, J., Davis, N.W., Kirkpatrick, H.A., Goeden, M.A., Rose, D.J.,
           Mau, B. and Shao, Y.
           The complete genome sequence of Escherichia coli K-12
 TITLE
           Science 277 (5331), 1453-1474 (1997)
 JOURNAL
           9278503
  PUBMED
REFERENCE
           2 (bases 1 to 4639675)
 AUTHORS
           Riley, M., Abe, T., Arnaud, M.B., Berlyn, M.K., Blattner, F.R.,
           Chaudhuri, R.R., Glasner, J.D., Horiuchi, T., Keseler, I.M., Kosuge, T.,
           Mori, H., Perna, N.T., Plunkett, G. III, Rudd, K.E., Serres, M.H.,
           Thomas, G.H., Thomson, N.R., Wishart, D. and Wanner, B.L.
 TITLE
           Escherichia coli K-12: a cooperatively developed annotation
           snapshot--2005
 JOURNAL
           (er) Nucleic Acids Res. 34 (1), 1-9 (2006)
  PUBMED
           16397293
REFERENCE
           3 (bases 1 to 4639675)
           Arnaud, M., Berlyn, M.K.B., Blattner, F.R., Galperin, M.Y.,
 AUTHORS
           Glasner, J.D., Horiuchi, T., Kosuge, T., Mori, H., Perna, N.T.,
           Plunkett, G. III, Riley, M., Rudd, K.E., Serres, M.H., Thomas, G.H. and
           Wanner, B.L.
 TITLE
           Workshop on Annotation of Escherichia coli K-12
 JOURNAL
           Unpublished
           Woods Hole, Mass., on 14-18 November 2003 (sequence corrections)
 REMARK
REFERENCE
           4 (bases 1 to 4639675)
 AUTHORS
           Glasner, J.D., Perna, N.T., Plunkett, G. III, Anderson, B.D.,
           Bockhorst, J., Hu, J.C., Riley, M., Rudd, K.E. and Serres, M.H.
 TITLE
           ASAP: Escherichia coli K-12 strain MG1655 version m56
```

```
JOURNAL
           Unpublished
           ASAP download 10 June 2004 (annotation updates)
REFERENCE 5 (bases 1 to 4639675)
 AUTHORS Hayashi, K., Morooka, N., Mori, H. and Horiuchi, T.
 TITLE
           A more accurate sequence comparison between genomes of Escherichia
           coli K12 W3110 and MG1655 strains
 JOURNAL Unpublished
           GenBank accessions AG613214 to AG613378 (sequence corrections)
 REMARK
REFERENCE
           6 (bases 1 to 4639675)
 AUTHORS
           Perna, N.T.
 TITLE
           Escherichia coli K-12 MG1655 yqiK-rfaE intergenic region, genomic
            sequence correction
 JOURNAL
           Unpublished
           GenBank accession AY605712 (sequence corrections)
 REMARK
REFERENCE 7 (bases 1 to 4639675)
 AUTHORS Rudd, K.E.
           A manual approach to accurate translation start site annotation: an
 TITLE
           E. coli K-12 case study
 JOURNAL Unpublished
REFERENCE 8 (bases 1 to 4639675)
 AUTHORS Blattner, F.R. and Plunkett, G. III.
 TTTLE
           Direct Submission
 JOURNAL Submitted (16-JAN-1997) Laboratory of Genetics, University of
           Wisconsin, 425G Henry Mall, Madison, WI 53706-1580, USA
REFERENCE 9 (bases 1 to 4639675)
 AUTHORS Blattner, F.R. and Plunkett, G. III.
 TITLE
           Direct Submission
 JOURNAL Submitted (02-SEP-1997) Laboratory of Genetics, University of
           Wisconsin, 425G Henry Mall, Madison, WI 53706-1580, USA
REFERENCE 10 (bases 1 to 4639675)
 AUTHORS Plunkett, G. III.
          Direct Submission
 TITLE
 JOURNAL Submitted (13-OCT-1998) Laboratory of Genetics, University of
           Wisconsin, 425G Henry Mall, Madison, WI 53706-1580, USA
REFERENCE
           11 (bases 1 to 4639675)
 AUTHORS Plunkett, G. III.
 TITLE
           Direct Submission
 JOURNAL
           Submitted (10-JUN-2004) Laboratory of Genetics, University of
           Wisconsin, 425G Henry Mall, Madison, WI 53706-1580, USA
 REMARK
            Sequence update by submitter
REFERENCE
           12 (bases 1 to 4639675)
 AUTHORS Plunkett, G. III.
 TITLE
           Direct Submission
 JOURNAL
           Submitted (07-FEB-2006) Laboratory of Genetics, University of
           Wisconsin, 425G Henry Mall, Madison, WI 53706-1580, USA
 REMARK
            Protein updates by submitter
COMMENT
            On or before Jun 21, 2004 this sequence version replaced
            gi:1786181, gi:1786192, gi:2367095, gi:1786217, gi:1786230,
            gi:1786240, gi:1786250, gi:1786262, gi:1786283, gi:1786298,
            gi:1786306, gi:1786315, gi:1786327, gi:1786339, gi:1786348,
            gi:1786358, gi:1786370, gi:1786383, gi:1786395, gi:1786402,
            gi:1786415, gi:2367098, gi:2367099, gi:1786454, gi:1786465,
            gi:2367103, gi:2367108, gi:1786501, gi:1786510, gi:1786520,
            gi:1786532, gi:1786542, gi:1786554, gi:1786568, gi:1786580, gi:1786596, gi:1786603, gi:1786614, gi:1786628, gi:1786639,
            gi:1786649, gi:1786660, gi:1786671, gi:1786683, gi:1786692,
            gi:1786705, gi:1786716, gi:1786728, gi:1786739, gi:1786751,
            gi:1786766, gi:1786782, gi:1786790, gi:1786800, gi:1786808,
            gi:1786819, gi:1786836, gi:1786849, gi:1786862, gi:1786875,
            gi:1786888, gi:1786896, gi:1786910, gi:1786920, gi:1786934,
```

```
gi:1786947, gi:1786955, gi:1786967, gi:1786978, gi:1786988,
gi:1786998, gi:1787015, gi:1787025, gi:1787036, gi:1787047,
qi:1787058, qi:1787070, qi:1787084, qi:1787097, qi:1787106,
qi:1787115, qi:1787125, qi:1787134, qi:1787148, qi:1787156,
gi:1787169, gi:1787180, gi:1787189, gi:1787202, gi:2367111,
gi:2367113, gi:1787233, gi:1787248, gi:1787256, gi:1787265,
gi:1787282, gi:1787293, gi:1787308, gi:1787322, gi:1787332,
gi:1787345, gi:1787358, gi:1787371, gi:1787382, gi:1787405,
gi:1787417, gi:1787434, gi:1787444, gi:1787453, gi:1787467,
gi:1787476, gi:1787486, gi:1787496, gi:1787509, gi:1787523,
gi:2367115, gi:1787543, gi:2367117, gi:1787566, gi:1787578,
gi:1787588, gi:1787600, gi:1787613, gi:1787633, gi:1787643,
gi:1787652, gi:1787665, gi:1787673, gi:1787682, gi:1787695,
gi:1787706, gi:1787720, gi:1787730, gi:1787742, gi:1787752,
gi:1787764, gi:1787773, gi:1787783, gi:1787790, gi:1787801,
gi:1787814, gi:2367119, gi:1787841, gi:1787862, gi:1787875,
gi:1787888, gi:1787898, gi:2367121, gi:1787921, gi:1787935,
qi:1787945, qi:1787955, qi:1787966, qi:1787978, qi:2367122,
gi:1787997, gi:1788011, gi:1788022, gi:1788033, gi:1788045,
gi:1788058, gi:1788067, gi:1788078, gi:1788089, gi:1788106,
gi:1788117, gi:1788129, gi:1788139, gi:1788154, gi:1788163,
gi:1788179, gi:1788189, gi:1788200, gi:1788214, gi:1788229,
gi:1788241, gi:1788257, gi:2367124, gi:1788285, gi:2367125,
gi:1788298, gi:1788310, gi:2367127, gi:1788338, gi:1788354,
gi:1788373, gi:1788382, gi:1788395, gi:1788413, gi:1788425,
gi:2367129, gi:1788447, gi:1788456, gi:1788470, gi:1788479,
gi:1788489, gi:1788498, gi:1788508, gi:1788520, gi:2367131,
gi:1788547, gi:1788555, gi:2367132, gi:1788570, gi:1788582,
gi:1788594, gi:1788605, gi:1788623, gi:1788634, gi:1788647,
gi:1788659, gi:1788672, gi:1788684, gi:1788694, gi:1788709,
gi:1788718, gi:1788731, gi:2367135, gi:2367137, gi:1788763,
gi:1788775, gi:1788789, gi:1788805, gi:1788813, gi:1788821,
gi:1788839, gi:1788850, gi:1788862, gi:1788870, gi:1788883,
gi:1788899, gi:1788907, gi:2367139, gi:1788927, gi:1788939,
gi:2367141, gi:2367142, gi:1788975, gi:2367143, gi:2367147,
gi:1789011, gi:1789024, gi:1789037, gi:2367149, gi:2367151,
gi:2367153, gi:2367155, gi:2367156, gi:1789110, gi:2367157,
gi:2367160, gi:1789143, gi:1789153, gi:2367162, gi:2367163,
gi:1789185, gi:1789195, gi:2367165, gi:2367168, gi:2367170,
gi:1789239, gi:2367171, gi:2367173, gi:1789270, gi:1789282,
gi:2367176, gi:2367178, gi:1789319, gi:2367179, gi:1789344,
gi:2367181, gi:2367182, gi:2367184, gi:2367186, gi:1789405,
gi:2367187, gi:1789431, gi:1789441, gi:1789451, gi:2367189,
gi:2367191, gi:2367194, gi:1789499, gi:2367197, gi:1789524,
gi:1789536, gi:2367199, gi:1789562, gi:2367201, gi:2367203,
gi:1789607, gi:1789619, gi:2367205, gi:2367207, gi:1789659,
gi:2367209, gi:2367211, gi:1789694, gi:1789718, gi:1789734,
gi:2367213, gi:1789758, gi:2367215, gi:1789783, gi:1789798,
gi:2367219, gi:2367220, gi:2367222, gi:2367227, gi:1789840,
gi:1789854, gi:1789868, gi:1789880, gi:2367230, gi:2367232,
gi:1789910, gi:1789919, gi:1789931, gi:2367235, gi:2367238,
gi:1789957, gi:2367241, gi:1789977, gi:1789989, gi:2367244,
gi:2367246, gi:2367249, gi:2367251, gi:1790036, gi:2367252,
gi:1790063, gi:2367253, gi:2367255, gi:2367258, gi:1790105,
gi:2367261, gi:2367266, gi:1790142, gi:2367269, gi:1790166,
gi:2367272, gi:1790188, gi:2367276, gi:2367278, gi:2367282,
gi:2367291, gi:2367294, gi:2367299, gi:2367306, gi:2367315,
gi:2367318, gi:1790295, gi:2367320, gi:2367324, gi:2367326,
gi:2367328, gi:1790356, gi:1790374, gi:1790385, gi:2367332,
gi:1790404, gi:2367333, gi:2367336, gi:1790440, gi:1790448,
```

```
qi:1790456, qi:2367338, qi:2367339, qi:2367340, qi:2367344,
            gi:2367346, gi:2367349, gi:2367351, gi:2367352, gi:1790563,
            gi:1790574, gi:1790582, gi:2367354, gi:1790607, gi:2367356,
            gi:2367357, gi:1790649, gi:2367360, gi:1790670, gi:2367361,
            gi:2367366, gi:1790711, gi:2367368, gi:1790732, gi:2367369,
            gi:2367372, gi:2367374, gi:1790777, gi:1790789, gi:2367375,
            gi:2367377, gi:2367380, gi:2367382, gi:2367383, gi:1790858,
            gi:6626251.
FEATURES
                    Location/Qualifiers
                     1..4639675
     source
                     /organism="Escherichia coli K12"
                     /mol type="genomic DNA"
                     /strain="K-12"
                     /sub_strain="MG1655"
                     /db xref="taxon:83333"
ORIGIN
Disclaimer | Write to the Help Desk
NCBI | NLM | NIH
                                                                   Score
                                                                             F.
Sequences producing significant alignments:
                                                                   (Bits)
                                                                          Value
qi|85674274|dbj|AP009048.1| Escherichia coli W3110 DNA, complete 2841
                                                                           0.0
gi|48994873|gb|U00096.2| Escherichia coli K12 MG1655, complete g
                                                                  2841
                                                                           0.0
gi|882431|gb|U28377.1|ECU28377 Escherichia coli K-12 genome; app
                                                                  2841
                                                                           0.0
gi|81244029|gb|CP000036.1| Shigella boydii Sb227, complete genom 2785
                                                                           0.0
gi|73854091|gb|CP000038.1| Shigella sonnei Ss046, complete genom 2769
                                                                           0.0
qi|81239530|qb|CP000034.1| Shiqella dysenteriae Sd197, complete
                                                                  2714
                                                                           0.0
qi|110341805|qb|CP000247.1| Escherichia coli 536, complete genom 2698
                                                                           0.0
gi|26111730|gb|AE014075.1| Escherichia coli CFT073, complete gen 2690
                                                                           0.0
gi|115511419|gb|CP000468.1| Escherichia coli APEC 01, complete g 2674
                                                                           0.0
gi|110613622|gb|CP000266.1| Shigella flexneri 5 str. 8401, compl 2674
                                                                           0.0
gi|91070629|gb|CP000243.1| Escherichia coli UTI89, complete geno 2674
                                                                           0.0
gi|24080789|gb|AE005674.1| Shigella flexneri 2a str. 301, comple 2674
                                                                           0 0
gi|30043918|gb|AE014073.1| Shigella flexneri 2a str. 2457T, comp 2674
                                                                           0.0
gi|47118301|dbj|BA000007.2| Escherichia coli 0157:H7 str. Sakai
                                                                   2635
                                                                           0.0
gi|56384585|gb|AE005174.2| Escherichia coli 0157:H7 EDL933, comp 2635
gi|16421636|gb|AE008842.1| Salmonella typhimurium LT2, sectio... 1211
                                                                           0.0
                                                                           0.0
gi|16504049|emb|AL627277.1| Salmonella enterica serovar Typhi...
                                                                  1195
                                                                           0.0
gi|29140506|gb|AE014613.1| Salmonella enterica subsp. enteric... 1195
                                                                           0.0
gi|62126203|gb|AE017220.1| Salmonella enterica subsp. enteric... 1187
                                                                           0.0
gi|56126533|gb|CP000026.1| Salmonella enterica subsp. enteric... 1179
                                                                           0.0
>qi|85674274|dbj|AP009048.1| Escherichia coli W3110 DNA, complete genome
Length=4646332
 Features in this part of subject sequence:
   D-galactose transporter
 Score = 2841 bits (1433), Expect = 0.0
 Identities = 1433/1433 (100%), Gaps = 0/1433 (0%)
 Strand=Plus/Plus
Query 14
                AACCATATTGGAGGGCATCATGCCTGACGCTAAAAAACAGGGGCGGTCAAACAAGGCAAT
                Sbjct 3086921 AACCATATTGGAGGGCATCATGCCTGACGCTAAAAAACAGGGGCGGTCAAACAAGGCAAT
                                                                             3086980
                GACGTTTTTCGTCTGCTGCTGCGCGCGGGATTACTCTTTGGCCTGGATATCGG 133
Query 74
```

Sbjct	3086981	GACGTTTTCGTCTGCCTCTTGCCGCTCTGGCGGGATTACTCTTTGGCCTGGATATCGG	3087040
Query	134	TGTAATTGCTGGCGCACTGCCGTTTATTGCAGATGAATTCCAGATTACTTCGCACACGCA	193
Sbjct	3087041	TGTAATTGCTGGCGCACTGCCGTTTATTGCAGATGAATTCCAGATTACTTCGCACACGCA	3087100
Query	194	AGAATGGGTCGTAAGCTCCATGATGTTCGGTGCGGCAGTCGGTGCGGTGGGCAGCGGCTG	253
Sbjct	3087101	AGAATGGGTCGTAAGCTCCATGATGTTCGGTGCGGCAGTCGGTGCGGTGGGCAGCGGCTG	3087160
Query	254	GCTCTCCTTTAAACTCGGGCGCAAAAAGAGCCTGATGATCGGCGCAATTTTGTTTG	313
Sbjct	3087161	GCTCTCCTTTAAACTCGGGCGCAAAAAGAGCCTGATGATCGGCGCAATTTTGTTTG	3087220
Query	314	CGGTTCGCTGTTCTCTGCGGCTGCGCCAAACGTTGAAGTACTGATTCTTTCCCGCGTTCT	373
Sbjct	3087221	CGGTTCGCTGTTCTCTGCGGCTGCGCCAAACGTTGAAGTACTGATTCTTTCCCGCGTTCT	
Query	374	ACTGGGGCTGGCGTGTGGCCTCTTATACCGCACCGCTGTACCTCTCTGAAATTGC	433
Sbjct	3087281	ACTGGGGCTGGCGTGTGGCCTCTTATACCGCACCGCTGTACCTCTGAAATTGC	3087340
Query	434	GCCGGAAAAAATTCGTGGCAGTATGATCTCGATGTATCAGTTGATGATCACTATCGGGAT	493
Sbjct	3087341	GCCGGAAAAATTCGTGGCAGTATGATCTCGATGTATCAGTTGATGATCACTATCGGGAT	3087400
Query	494	$\tt CCTCGGTGCTTATCTTTCTGATACCGCCTTCAGCTACACCGGTGCATGGCGCTGGATGCT$	553
Sbjct	3087401	CCTCGGTGCTTATCTTTCTGATACCGCCTTCAGCTACACCGGTGCATGGCGCTGGATGCT	
Query	554	GGGTGTGATTATCATCCCGGCAATTTTGCTGCTGATTGGTGTCTTCTTCCTGCCAGACAG	613
Sbjct	3087461	GGGTGTGATTATCATCCCGGCAATTTTGCTGCTGATTGGTGTCTTCTTCCTGCCAGACAG	3087520
Query	614	CCCACGTTGGTTTGCCGCCAAACGCCGTTTTGTTGATGCCGAACGCGTGCTACGCCT	673
Sbjct	3087521	CCCACGTTGGTTTGCCGCCAAACGCCGTTTTGTTGATGCCGAACGCGTGCTACGCCT	3087580
Query	674	GCGTGACACCAGCGCGAAGCGAAACGCGAACTGGATGAAATCCGTGAAAGTTTGCAGGT	733
Sbjct	3087581	GCGTGACACCAGCGCGGAAGCGAAACGCGAACTGGATGAAATCCGTGAAAGTTTGCAGGT	3087640
Query	734	${\tt TAAACAGAGTGGCTGGGCGCTGTTTAAAGAGAACAGCAACTTCCGCCGCGCGGTGTTCCT}$	793
Sbjct	3087641		3087700
Query	794	TGGCGTACTGTTGCAGGTAATGCAGCAATTCACCGGGATGAACGTCATCATGTATTACGC	853
Sbjct	3087701	TGGCGTACTGTTGCAGGTAATGCAGCAATTCACCGGGATGAACGTCATCATGTATTACGC	3087760
Query	854	GCCGAAAATCTTCGAACTGGCGGGTTATACCAACACTACCGAGCAAATGTGGGGGACCGT	913
Sbjct	3087761	GCCGAAAATCTTCGAACTGGCGGGTTATACCAACACTACCGAGCAAATGTGGGGGACCGT	3087820
Query	914	GATTGTCGGCCTGACCAACGTACTTGCCACCTTTATCGCAATCGGCCTTGTTGACCGCTG	973
Sbjct	3087821	GATTGTCGGCCTGACCAACGTACTTGCCACCTTTATCGCAATCGGCCTTGTTGACCGCTG	3087880
Query	974	GGGACGTAAACCAACGCTAACGCTGGGCTTCCTGGTGATGGCTGCTGGCATGGGCGTACT	1033

Sbjct	3087881		3087940
Query	1034	CGGTACAATGATGCATATCGGTATTCACTCTCCGTCGGCGCAGTATTTCGCCATCGCCAT	1093
Sbjct	3087941	CGGTACAATGATGCATATCGGTATTCACTCTCCGTCGGCGCAGTATTTCGCCATCGCCAT	3088000
Query	1094	GCTGCTGATGTTTATTGTCGGTTTTGCCATGAGTGCCGGTCCGCTGATTTGGGTACTGTG	1153
Sbjct	3088001	GCTGCTGATGTTTATTGTCGGTTTTGCCATGAGTGCCGGTCCGCTGATTTGGGTACTGTG	3088060
Query	1154	CTCCGAAATTCAGCCGCTGAAAGGCCGCGATTTTGGCATCACCTGCTCCACTGCCACCAA	1213
Sbjct	3088061	CTCCGAAATTCAGCCGCTGAAAGGCCGCGATTTTGGCATCACCTGCTCCACTGCCACCAA	3088120
Query	1214	CTGGATTGCCAACATGATCGTTGGCGCAACGTTCCTGACCATGCTCAACACGCTGGGTAA	1273
Sbjct	3088121	CTGGATTGCCAACATGATCGTTGGCGCAACGTTCCTGACCATGCTCAACACGCTGGGTAA	3088180
Query	1274	CGCCAACACCTTCTGGGTGTATGCGGCTCTGAACGTACTGTTTATCCTGCTGACATTGTG	1333
Sbjct	3088181		3088240
Query	1334	GCTGGTACCGGAAACCAAACACGTTTCGCTGGAACATATTGAACGTAATCTGATGAAAGG	1393
Sbjct	3088241		3088300
Query	1394	TCGTAAACTGCGCGAAATAGGCGCTCACGATTAATCTCCCCAAGCTTCCTCCC 1446	
Sbjct	3088301	TCGTAAACTGCGCGAAATAGGCGCTCACGATTAATCTCCCCAAGCTTCCTCCC 308835	3